

Material Safety Data Sheet

U.S. Department of Labor

May be used to comply with OSHA's Hazard Communication Standard, 29CFR 1910.1200. Standard must be consulted for specific requirements.

Occupational Safety and Health Administration  
[Non-Mandatory Form]  
Form Approved OMB No. 1218-0072

Identity (As Used on Label and List)  
**Blue-Job<sup>®</sup> Chrome Polish**

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

**Section I- Identification**

Manufacturer's Name <b>Smith Investments LLC</b>	Emergency Telephone Number 253-881-1369
Address P.O. Box 731881 Puyallup, WA 98373	Telephone Number for Information 253-881-1369
	Date Updated- 15 April 2015 Original Completed- 4 Nov 2001
Purpose: Exhaust pipe bluing or discoloration, surface rust.	No restrictions

**Section II - Hazards/Identity Information**

Hazardous Components – NONE/ Blue-Job Chrome Polish
---

**Section III - Composition/Information on Ingredients**

Inert Oxide, Juglans Regia Shell - Organic
--

**Section VI – First Aid Measures**

<i>Skin Contact:</i> <b>No irritant effect</b>	<i>Eye Contact:</i> <b>No irritant effect</b>	<i>Ingestion:</i> N/A
Health Hazard- Avoid inhalation of powder which is non-hazardous.		
Respiratory Protection ( <i>Specify Type</i> ) OSHA / NTOSH approved respirator for nuisance dust protection.		

Signs and Symptoms of Exposure: N/A
Medical Conditions Generally Aggravated by Exposure: N/A
Emergency and First Aid Procedures: For inhalation remove to fresh air

### Section V - Fire Fighting Measures

<i>Flammable Limits</i>	Non flammable
<i>Extinguishing Media</i>	None other than source of water
<i>Special Fire Fighting Procedures</i>	N/A
<i>Unusual Fire and Explosion Hazards</i>	None

### Section VI – Accidental Release Measures

<b>Cleanup Procedures</b>	Wipe with damp cloth, vacuum cleaning recommended
---------------------------	---

### Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled--Treat as any non-hazardous material
Waste Disposal Method
Same as above
Other Precautions
None

### Section VIII – Exposure Controls/Personal Protection

Ventilation	Local Exhaust: If necessary to maintain allowable PEL or TLV levels
Protective Gloves	Eye Protection
None	Goggles

Other Protective Clothing or Equipment: None
Work/Hygienic Practices: Not normally required.

### Section IX – Physical and Chemical Properties

Boiling Point	N/A	Specific Gravity	3.7
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water	<b>Insoluble</b>		
Appearance and Odor	<b>White crystalline powder – no odor</b>		

### Section X – Stability and Reactivity

<i>Stable-Yes</i>	<b>A slight rise in temperature may result from contact with water</b>
Incompatibility ( <i>Materials to Avoid</i> )	<b>None</b>
Hazardous Decomposition or Byproducts:	<b>None</b>
Hazardous Polymerization -Will Not Occur	

### Section XI – Toxicological Information

<i>Skin Contact:</i> <b>No irritant effect</b>	<i>Eye Contact:</i> <b>No irritant effect</b>	<i>Ingestion:</i> N/A
Health Hazards ( <i>Acute and Chronic</i> )  Avoid inhalation of powder, which is non-hazardous.		
Carcinogenicity: N/A		
Signs and Symptoms of Exposure: N/A		